----- POPULATION ESTIMATES ------ Long-Term Care ------ Local Health Departments -----

25

	000 Populat tion per so			Community Opti			Staffing - FTE	Number	Per 10,000 Population
	y ranking :				Clients	Costs	Staffing - FTE Total staff	13	3 8
courre	y raintring .	LII beace (1 72 33	COP	44		Administrative Professional staff Technical/Paraprof Support staff	2	0.6
Age	Female	Male	Total	1 1		, ,	Professional staff	6	1 9
0-14	3,980		8,100	CTD1 A	13	\$660 223	Technical/Paraprof	1	0.3
		1,540	2,920	CTP1B	96	\$2,206,993	Support staff	. 4	1 1
20-24			1,610	CTP2	14	\$189.154	Support Starr	-	
25-29	720 910	890 900	1,810	MA Walver * CIP1A CIP1B CIP2 COP-W CSLA Brain Injury	87	\$495.015	Funding		Per capita
30-34	960	1,010	1,970	CSLA	0,	\$173,013	Funding Total	\$526,276	\$15 68
35-39	1,200	1,240	2,450	Brain Injury	•	\$0 \$0	Local Taxes	\$304 073	\$9.06
40-44	1,210	1,360	2,570	Total COP/Wvrs	219	\$3,795,988	Local Taxes	φ301 , 073	φσ.00
45-54	1,930	2,090	4,010	TOCAL COLYWOLK	5 217	φ5,155,500	Licensed E	stahlishme	nts
55-64			2,760	\$207 831 04	the above	waiver costs		Deadiffine	.iicb
65-74	1,360		2,560	were paid as			Туре	Canacity	Facilitie
75-84	1,110	870	1,990	using COP fur			Bed & Breakfast	R	2
85+	560		830	not included			Camps	755	12
Total	16,740			1100 IIICIAACA	III above co	or coscs.	Hotels, Motels Tourist Rooming	170	14
IOCAI	10,710	10,020	33,300	* Waiver cost	e renorted	here	Tourist Rooming	170	2
Age	Female	Male	Total	include fede			Pools	0	5
0-17		5,140	10,050	Include lead	tar runding	1.	Restaurants		139
18-44	5,460	5,140	11,380	1	Cliente	costs	Vending		2
45-64	3,400	5,910 3,430	6,770	Eligible and	CITETICS	COBCB	Vending		۷
			5,380	Waiting	17	n / 2			
Total	16,740			waiting	1/	11/ a			
IOCAI	10,740	10,020	33,300	/ Family Care	not provide	in country)	WIC Par	tiainanta	
Domorta	Estimates	for 1997		(Family Care I	ioc provided	i III Councy)	wic Fai	CICIPALICS	
POVELLY		timate	(C T +/-)	1					Numbe
711 2	TOC	2 012	052	Note: Eligible	and waitir	na alionta	 Pregnant/Postpartu	m	316
AII a	ges	3,013 11 E%	/ 2% \ / 2% \	will be phase			Pregnant/Postpartu Infants	Ш	35
7000	0-17	1 761	(36) E16	Waivers as a		e COP and MA	Children, age 1-4		
Ages		17.5%		Walvels as a	avaliable.		Total		1,132
		17.56	(56)				IOCAI		1,13
	Fmn	losment					 Cancer :	Incidence	
	wage for jo			Home Health Ag	rencies	2	cancer :	TITCIACITO	
	loyment cor			Patients	Jeneres	147			1999
	sed on plac			Patients per	10.000 pop		Primary Site		Number
icco bai	cca on prac	C OI WOIK	Annual	l acteres per	10,000 POP		Breast		30
abor Fo	rce Estimat	-69		Nurging Homes		5	Cervical		3
CLOCI FO	LCG ESCINA	.65	Average	Nursing Homes Licensed beds	2	516	Colorectal		21
Civilia	n Labor Fo	~CO	15 750	Occupancy rat	•	86.8%	Trachea, Bronchus,	Lung	
ститтта	TI Hanot LOI	- C-	13,739		-E 21	00.0%	riachea, bronchus,	шину	10

Residents on Dec.31

Residents age 65 or older

per 1,000 population

438

71

Prostate

Total

Other sites

Number employed

Number unemployed

Unemployment rate

14,860

899

5.7%

----- NATALITY -------Second 134 27 Married 424 85
Third 77 16 Not married 72 15
Fourth or higher 139 28 Unknown 0 0 TOTAL LIVE BIRTHS 496 Crude Live Birth Rate 14.8 Second General Fertility Rate 77.8 Third Live births with reported congenital anomalies 5 . % First Prenatal Births Percent of Mother DeliveryTypeBirthsPercentVaginalafter Visit Births Percent Elementary or less 141 Vaginal after1st trimester31564Some high school39previous cesarean1222nd trimester13227High school149Forceps613rd trimester357Some college106Other vaginal38277No visits122College graduate61Primary cesarean5611Unknown2<.5</td>Unknown0Repeat cesarean408Other or unknown0Number of PrenatalSmoking Status 30 21 12 0 of Mother Births Percent Care visits Births Percent Birthweight Births Percent Low Birthweight Trimester of First Prenatal Visit (under 2,500 gm)1st Trimester2nd TrimesterOther/UnknownBirths PercentBirths PercentBirths PercentBirths Percent Race of MotherBirths PercentWhite49099 Births Percent 1 <.5 * Black Other 1 0 0 Low Birthweight Trimester of First Prenatal Visit Age of Mother
 0
 - .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .</ <15 15-17 7 .
30 65
118 164
169 187
105 110
46 38 18-19 12 10 13 8 20-24 25-29 30-34 . . 2 9.5 16 35 8 35-39 22 48 17 29 6 29 21 17 40+ 0 --Unknown Teenage Births 37 27 * Not reported: age or race category has less than 5 births

Disease	Number
Campylobacter Enteritis	17
Giardiasis	6
Hepatitis Type A	<5
Hepatitis Type B**	0
Hepatitis NANB/C	<5
Legionnaire's	0
Lyme	8
Measles	* * *
Meningitis, Aseptic	0
Meningitis, Bacterial	<5
Mumps	***
Pertussis	***
Salmonellosis	0
Shigellosis	<5
Tuberculosis	0

- * 2000 provisional data
- ** Includes all positive HBsAg test results
- *** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	22
Genital Herpes	8
Gonorrhea	<5
Syphilis	<5

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	7,059
Non-compliant	42
Percent Compliant	99 4

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS307Crude Death Rate915

Age	Deaths	Rate
1-4	1	•
5-14	1	
15-19	4	
20-34	3	
35-54	19	
55-64	15	
65-74	35	1,366
75-84	100	5,045
85+	128	15,440

Infant

Birthweight

Mortality	Deaths	Rate
Total Infant	1	•
Neonatal	•	
Postneonatal	1	
Unknown	•	

Race of Mother White 1 . Black . . Other . . Unknown . .

DITCHWEIGHT		
<1,500 gm		
1,500-2,499 gm		
2,500+ gm	1	
Unknown		

Deaths	Rate
3	
3	•
	Deaths 3

Зe	1	е	C	t	е	d	

Underlying Cause	Deaths	Rate
Heart Disease (total)	100	298
Ischemic heart disease	2 74	221
Cancer (total)	58	173
Trachea/Bronchus/Lung	12	
Colorectal	11	
Female Breast	3	
Cerebrovascular Disease	e 16	
Lower Resp. Disease	14	
Pneumonia & Influenza	4	
Accidents	19	
Motor vehicle	12	
Diabetes	15	
Infectious & Parasitic	1	
Suicide	3	

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	5
Other Drugs	3
Both Mentioned	·

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	324	17
Alcohol-Related	32	7
With Citation:		
For OWI	27	0
For Speeding	19	0
Motorcyclist	11	0
Bicyclist	2	0
Pedestrian	4	1

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related	: All					Alcohol-Relate	ed.				
Total	354	10.5	4.9	\$11,506	\$121	Total	56	1.7	5.1	\$4,967	\$8
<18	55	5.5	3.5	\$8,627	\$47	18-44	32	2.8	4.3	\$3,758	\$11
18-44	81	7.1		\$8,687	\$62	45-64	17				•
45-64	61	9.0		\$10,553	\$95	Pneumonia and		•	•	•	•
65+	157	29.2		\$14,339	\$419	Total	172	5.1	4.7	\$7,917	\$41
Injury: Hip			0.0	411,000	7>	<18	19		•	•	7
Total	36	1.1	6.6	\$15,279	\$16	45-64	16				
65+	31	5.8		\$15,664	\$90	65+	125	23.3	5.3	\$9,080	\$211
Injury: Pois	_	3.0	,.0	Ψ13/001	420	Cerebrovascula		23.3	3.3	43,000	7211
Total	12					Total	106	3.2	4.9	\$9,675	\$31
18-44	5	•	•	•	•	45-64	15		1.7	437073	43 ±
10 11	3	•	•	•	•	65+	86	16.0	4.6	\$8,231	\$132
Psychiatric			Chronic Obstru				φ0,25±	Ų I J Z			
Total	201	6.0	8.3	\$5,936	\$36	Total	135	4.0	4.3	\$7,081	\$28
<18	66	6.6	10.8	\$6,491	\$43	<18	10			φ/ , 00±	Ψ20
18-44	73	6.4	7.3	\$4,913	\$32	18-44	7		•	•	•
45-64	30	4.4		\$6,339	\$28	45-64	, 25	3.7	4.4	\$8,723	\$32
65+	32	6.0	7.1	\$6,747	\$40	65+	93	17.3	4.6	\$7,208	\$125
031 32 0.0	/ · ±	φ0,717	φ10	Drug-Related	75	17.5	1.0	φ7 , 200	Ϋ12 3		
Coronary Heart	Disease					Total	14				
Total	261	7.8	4 4	\$16,959	\$132	18-44	6	•	•	•	•
45-64	64	9.5		\$16,194	\$153	10 11	O	•	•	•	•
65+	188	35.0		\$17,300	\$605	Total Hospital	izations				
051	100	33.0	4.7	Ş17,300	\$005	Total	4,387	130.7	4.2	\$8,104	\$1,059
Malignant Neop	lagmg (Ca	ncera)	• 211			<18	743	74.0	3.1	\$3,801	\$281
Total	113	3.4		\$16,085	\$54	18-44	1,017	89.4	3.1	\$5,734	\$513
18-44	14		7.0	φ±0,005	ŲΣI	45-64		100.6	4.1	\$9,468	\$952
45-64	33	4.9	6 4	\$15,456	\$75	65+		362.2		\$10,509	
65+	65	12.1		\$15,929	\$193	051	1,010	302.2	5.2	φ±0,303	φ3,000
	Female Breast (rates for female population) PREVENTABLE HOSPITALIZATIONS*										
Total	7			_	_	Total	705	21.0	4.3	\$6,842	\$144
Neoplasms: C			•	•	•	<18	70	7.0		\$3,308	\$23
Total	14	_				18-44	75 75	6.6	2.6	\$3,953	\$26
65+	12	•	•	•	•	45-64	100	14.8	4.0	\$7,104	\$105
Neoplasms: L		•	•	•	-	65+	460	85.6	4.9		\$667
Total	11				_	* Hospitalization					
10001		•	•	•	•	ambulatory care of					
Diabetes						The definition of					
Total	55	1.6	5.1	\$8,203	\$13	is consistent with the 1997 definition.					
65+	29	5.4			\$46	Please refer to the note at the bottom of this page in the					
					•	1997 report for an explanation of the change made between					
						1996 and 1997.	_			-	